BIOHAZARDOUS WASTE PACKAGING PROCEDURE



SET UP BOX

- Turn over and seal bottom flap
- Use at least two layers of packing tape
- Start tape 6-8" up the side



SEAL TOP OF BOX

Use at least two layers
 of packing tape

REQUIREMENTS

- Generators are responsible for packaging their own waste.
- Each bag must be hand tied by gathering and twisting the neck of the bag and using a tie or hand knot to secure the bag.
- Closed bags must not be visible once secondary container is closed.



LINE BOX WITH RED BAG

- Double bag contents when necessary
- Box should be kept closed except when adding waste



CHECK MARKINGS

- Orient box correctly (Arrows up)
- Write building name, room #, PI
 name and IW request # on the top



TIE BAG WHEN BOX IS FULL

- Limit total weight of box to 30 lbs.
- Liquid waste should be in rigid leakproof containers



CANNOT BE PICKED UP IF

- Contents of box is leaking
- Box is not sealed correctly
- Box exceeds 30 lbs. weight limit
- Improperly packaged containers will be denied or returned to the generator.
- Infectious sharps must be placed in a puncture resistant container designated for "Sharps" waste. "Sharps" include needles, syringes, broken glass, scalpels, culture slides, culture dishes, broken capillary tubes, broken ridged plastic and exposed ends of dental wires.
- All sharps containers should be properly closed before being placed into secondary containers.
- No loose sharps are permitted outside of sharps containers.

CHEMICAL WASTE CONTAINER GUIDELINES

	All containers require a "Chemical Waste For Disposal" label with all of the information fields filled out completely.
Chemical Waste For Disposal	 Make sure to fill out "Date Started" with the date waste was first put in the container and "Date Full" with the date the container becomes full.
Contact Name: Phone:	
Building: Room: Date Started: Date Full:	
Disposal Request #: Hazardous Communication (cricle all that apply): Corrosive Oxidizer Toxic Flammable Reactive Explosive Carcinogen Non-Hazardous CHEMICAL(S) QUANTITY List al constituents or contents \$ 0 of total or actual volume	 Number assigned once online service request has been submitted. Circle the appropriate hazards of the waste. No Symbols or Abbreviations
	Inspect containers weekly.
	 Be sure that containers are compatible with wastes.
	Separate incompatible containers.
	Store waste on impervious surfaces or in secondary containment.
For disposal requests go to ehs.osu.edu	Containers must be CLOSED AT ALL TIMES unless waste is being added.
Questions? email us at harwoste.cou.edu or call (51.429.1284 The Chois State University Environmental Heath and Scharg THE OLIO STATE 04-2927284 UNIVERSITY etho.sou.edu	Request a label at ehs.osu.edu/service-requests

Be safe today and remain a Buckeye tomorrow.

THE OHIO STATE UNIVERSITY

Environmental Health and Safety ehs.osu.edu | 614-292-1284